

Turbo-drive Pop-up Sprinkler T100

MADE IN GERMANY 

Ideal for smaller lawns from 50m² to 100m² when used individually, and larger areas when used in combination with Turbo-driven Pop-up Sprinklers T200 and T380. With an adjustable irrigation sector of between 70° - 360°, and adjustable spray range of 4m - 6m, it will reach into the corners of irregularly shaped garden areas, and provide even, puddle-free irrigation without dry zones.



Technical Specifications	
Article Number:	8201-29
Part Number:	966409201
Selling Dimensions, mm	171 (h) x 54 (w) x 54 (d)
Barcode	4078500820196
Carton Qty	10
Packaging	RR Carton
Outer Carton Dimensions, mm	185 (h) x 175 (w) x 340 (d)
Outer Carton Barcode	4078500961486



Easy Range Adjustment.

The irrigation area can be easily set and re-adjusted by twisting the orange shaft and grey casing to adjust the sector, and the orange dial to adjust the spray range.



Installation Tip.

Install the sprinkler head level with the ground surface - to prevent damage to the sprinkler head when mowing the lawn.



Easy Maintenance.

The fine-mesh dirt filter, captures coarse dirt and sand and is easily removed for cleaning.

Turbo-drive Pop-up Sprinkler T200

Ideal for medium-sized lawns from 80m² to 200m² when used individually, and larger areas when used in combination with Turbo-driven Pop-up Sprinklers T100 and T380. With an adjustable irrigation sector of between 25° - 360°, and adjustable spray range of 5m - 8m, it will reach into the corners of irregularly shaped garden areas, and provide even, puddle-free irrigation without dry zones.

MADE IN GERMANY



① : 25° - 90° ② : < 180° ③ : < 270° ④ : < 360°

4 x Spray patterns. Select the spray pattern to suit the irrigation sector. Adjust the irrigation sector by twisting the orange casing.

The irrigation range is easily adjusted and set by twisting the orange dial to reduce or increase. (5-8m).

Memory function. If the sprinkler head is accidentally turned or tampered with, it automatically returns to the pre-set sector.

Fine-mesh removable dirt filter. Unscrew the sprinkler head, and remove the filter to clean.

Sand-proof turbo-drive gear.

Suits medium-sized lawns. Coverage; 80m² to 200m².


Even water distribution ensures no puddles or dry zones.

Operating pressure: 2 bar / 28 psi

1/2" female thread. Fits 1/2" male connectors.

Technical Specifications

Article Number:	8203-29
Part Number:	966409401
Selling Dimensions, mm	212 (h) x 81 (w) x 81 (d)
Barcode	4078500820394
Carton Qty	6
Packaging	RR Carton
Outer Carton Dimensions, mm	221 (h) x 215 (w) x 341 (d)
Outer Carton Barcode	4078500961462



25 - 360°
SPRAY

5 - 8m
RANGE

MEMORY FUNCTION

UV PROTECTED

2 YEAR WARRANTY



Easy Range Adjustment.

The irrigation area can be easily set by 1. selecting a spray pattern 2. adjusting the sector via the orange casing, and 3. adjusting the spray range via the orange dial.



Installation Tip.

Install the sprinkler head level with the ground surface - to prevent damage to the sprinkler head when mowing the lawn.




Easy Maintenance.

The fine-mesh dirt filter, captures coarse dirt and sand and is easily removed for cleaning.

Turbo-drive Pop-up Sprinkler T380

MADE IN GERMANY 

Ideal for medium-sized lawns from 115m² to 380m² when used individually, and larger areas when used in combination with Turbo-driven Pop-up Sprinklers T100 and T200. With an adjustable irrigation sector of between 25° - 360°, and adjustable spray range of 6m - 11m, it will reach into the corners of irregularly shaped garden areas, and provide even, puddle-free irrigation without dry zones.



① : 25° - 90° ② : < 180° ③ : < 270° ④ : < 360°

4 x Spray patterns. Select the spray pattern to suit the irrigation sector.
Adjust the irrigation sector by twisting the orange casing.

The irrigation range is easily adjusted and set by twisting the orange dial to reduce or increase. (6-11m).

Memory function. If the sprinkler head is accidentally turned or tampered with, it automatically returns to the pre-set sector.

Fine-mesh removable dirt filter. Unscrew the sprinkler head, and remove the filter to clean.

Sand-proof turbo-drive gear.


Suits medium-sized lawns. Coverage; 115m² to 380m².

Even water distribution ensures no puddles or dry zones.

Operating pressure: 2 bar / 28 psi

1/2" female thread. Fits 1/2" male connectors.

Technical Specifications	
Article Number:	8205-29
Part Number:	966409601
Selling Dimensions, mm	212 (h) x 81 (w) x 81 (d)
Barcode	4078500820592
Carton Qty	6
Packaging	RR Carton
Outer Carton Dimensions, mm	221 (h) x 215 (w) x 341 (d)
Outer Carton Barcode	4078500961509



25 - 360°
SPRAY

6 - 11m
RANGE

MEMORY FUNCTION

UV PROTECTED

2 YEAR WARRANTY



Easy Range Adjustment.

The irrigation area can be easily set by 1. selecting a spray pattern 2. adjusting the sector via the orange casing, and 3. adjusting the spray range via the orange dial.



Installation Tip.

Install the sprinkler head level with the ground surface - to prevent damage to the sprinkler head when mowing the lawn.



Easy Maintenance.

The fine-mesh dirt filter, captures coarse dirt and sand and is easily removed for cleaning.