

NORMACLAMP® GBS




Exceptionally high level of band tensile force

- ✓ Failure torques improved by a factor of two
- ✓ No welding spots and no contact corrosion
- ✓ Band tensile force levels improved by a factor of three
- ✓ Hollow trunions – reduce tensile forces on the bolt and the mechanical lock

HOSE CLAMPS



NORMACLAMP® GBS



Applications

GBS is well suited to applications involving poly and braided tubing that require a complete seal, e.g. for:

- Machine building
- Chemical industry
- Irrigation systems
- Marine and shipbuilding
- Railway industry
- Agricultural and building machines

Materials

Group	W1, W2, and W4
Band & housing	W1 (Galvanized steel), W2 (SS – AISI 430), W4 (SS – AISI 304)
Screw	W1 (Galvanized steel), W2 (Galvanized mild steel), W4 (SS – AISI 304)

Clamping range	Band width	W1 All Parts Made Entirely From Galvanised Steel		W2 Band And Housing: Stainless Steel AISI 430 Bolt: Galvanised Steel		W4 All Parts Entirely Made From Stainless Steel AISI 304	
		Trade Packs (10 Clamps)	Cartons (25-50 Clamps)	Trade Packs (10 Clamps)	Cartons (25-50 Clamps)	Trade Packs (10 Clamps)	Cartons (25-50 Clamps)
17-19mm *	18mm	05919181018	059171810181		059171820181	05919184018	059171840181
19-21mm *	18mm	05919181020	059171810201	05919182020	059171820201	05919184020	059171840201
21-23mm *	18mm	05919181022	059171810221	05919182022	059171820221	05919184022	059171840221
23-25mm *	18mm	05919181024	059171810241	05919182024	059171820241	05919184024	059171840241
25-27mm	18mm	05919181026	05917181026	05919182026	05917182026	05919184026	05917184026
27-29mm	18mm	05919181028	05917181028	05919182028	05917182028	05919184028	05917184028
29-31mm	18mm	05919181030	05917181030	05919182030	05917182030	05919184030	05917184030
31-34mm	18mm	05919181033	05917181033	05919182033	05917182033	05919184033	05917184033
34-37mm	18mm	05919181036	05917181036	05919182036	05917182036	05919184036	05917184036
37-40mm	18mm	05919181039	05917181039	05919182039	05917182039	05919184039	05917184039
40-43mm	18mm	05919181042	05917181042	05919182042	05917182042	05919184042	05917184042
43-47mm	20mm	05919201045	05917201045	05919202045	05917202045	05919204045	05917204045
47-51mm	20mm	05919201049	05917201049	05919202049	05917202049	05919204049	05917204049
51-55mm	20mm	05919201053	05917201053	05919202053	05917202053	05919204053	05917204053
55-59mm	20mm	05919201057	05917201057	05919202057	05917202057	05919204057	05917204057
59-63mm	20mm	05919201061	05917201061	05919202061	05917202061	05919204061	05917204061
63-68mm	20mm	05919201066	05917201066	05919202066	05917202066	05919204066	05917204066
68-73mm	25mm	05919251071	05917251071	05919252071	05917252071	05919254071	05917254071
73-79mm	25mm	05919251076	05917251076	05919252076	05917252076	05919254076	05917254076
79-85mm	25mm	05919251082	05917251082	05919252082	05917252082	05919254082	05917254082
85-91mm	25mm	05919251088	05917251088	05919252088	05917252088	05919254088	05917254088
91-97mm	25mm	05919251094		05919252094		05919254094	
97-104mm	25mm	05919251101		05919252101		05919254101	
104-112mm	25mm	05919251108		05919252108		05919254108	
112-121mm	25mm	05919251117		05919252117		05919254117	

* These diameters are full trunnions and do not feature a mechanically locked closure, they are spot-welded

HOSE CLAMPS



Clamping range	Band width	W1 All Parts Made Entirely From Galvanised Steel		W2 Band And Housing: Stainless Steel AISI 430 Bolt: Galvanised Steel		W4 All Parts Entirely Made From Stainless Steel AISI 304	
		Trade Packs (10 Clamps)	Cartons (25-50 Clamps)	Trade Packs (10 Clamps)	Cartons (25-50 Clamps)	Trade Packs (10 Clamps)	Cartons (25-50 Clamps)
121-130mm	25mm	05919251126		05919252126		05919254126	
130-140mm	30mm	05917301135		05917302135		05917304135	
140-150mm	30mm	05917301145		05917302145		05917304145	
150-162mm	30mm	05917301156		05917302156		05917304156	
162-174mm	30mm	05917301168		05917302168		05917304168	
174-187mm	30mm	05917301181		05917302181		05917304181	
187-200mm	30mm	05917301194		05917302194		05917304194	
200-213mm	30mm	05917301207		05917302207		05917304207	
213-226mm	30mm	05917301220		05917302220		05917304220	
226-239mm	30mm	05917301233		05917302233		05917304233	
239-252mm	30mm	05917301246		05917302246		05917304246	
252-265mm	30mm					05917304259	
265-278mm	30mm					05917304272	
278-291mm	30mm					05917304285	
291-304mm	30mm					05917304298	
304-317mm	30mm					05917304311	
317-330mm	30mm					05917304324	

Technical benefits

- ✓ New specially designed bolt with integrated spacer ensures improved performance
- ✓ Reinforced band loops withstands much higher torques
- ✓ Mechanically locked closure, thus no welding spots causing contact corrosion

NORMACLAMP® GBS is part of a broad portfolio.
Discover more!



NORMA GBS Constant Tension



Merchandisers, Kits and Displays



Do you have questions or wish to place an order?

Please contact your Area Sales Manager or **National Customer Service** on 1300 252 677 or sales.au@normagroup.com
Visit our information hub for more information about this or other NORMA Group products: shop.normagroup.com/au_en

NORMA Pacific Australia Pty Ltd | 76 Bazalgette Crescent, Dandenong South VIC 3175

This document supersedes all previous product literature. No part of this publication may be reproduced without our prior written consent. Because it is NORMA Group's policy to continually improve its products to meet users' needs and technological developments, all models and sets listed in this brochure (photographs, specifications, sizes and weights) may be upgraded or discontinued without notice and without any obligation on our part to modify tools or equipment sold previously. References to standards implemented as of May 15, 2023, are not contractually binding. All information and data presented within is correct at the time of printing.